

CHOICE OF WINDOWS EMBEDDED OR ANDROID™ OPERATING SYSTEMS

Legendary Falcon with upgraded performance! The Falcon™ X4 mobile computer features a high performance multicore 1 GHz architecture that offers blazing speed when running Windows Embedded Compact OS and allows easy upgradeability to the Android™ OS. Users will never run out of memory with the standard 1 GB RAM and 8 GB Flash.

REAL-TIME DATA CAPTURE AND COMMUNICATIONS

Capture bar codes using Datalogic 1D and 2D imaging technologies. Communicate over a superior TI 802.11 a/b/g/n radio with CCX v4 compliance and MIMO technology for improved connectivity and coverage, or through wired standards including USB Hi-Speed, RS-232, Modem and Ethernet. *Bluetooth®* wireless technology v4 provides support for the new low energy mode (BLE) and for improved voice recognition via wide band audio.

ERGONOMIC AND RUGGED

Users feel the full shift difference of ergonomic handheld and pistol grip form factors to balance a 3.5 inch crystal clear display, full numeric or alphanumeric back-lit keyboards, and a one piece 5,200 mAh battery. With the best ergonomics in this market segment, the Falcon X4 mobile computer reduces operator fatigue with no compromise in terms of reliability and robustness, resisting harsh environments, repeated drops, strong shocks and repetitive tumbles.

EASY AND INTUITIVE

Develop custom solutions using the industry-leading Datalogic Software Development Kit (SDK). Deploy quickly with the included Datalogic utilities or your preferred device management solution. Manage your installed devices using the pre-licensed Wavelink Avalanche or leverage the pre-licensed Wavelink Terminal Emulation (WEC7 only).













FEATURES

- Full-shift hot swappable battery
- 3.5 inch touchscreen display
- Ruggedized with 1.8 m / 6.0 ft drop to concrete and IP65 sealing rating
- Choice of 1D or 2D imagers featuring Datalogic's patented 'Green Spot' technology for good-read feedback
- Extra Long Range 2D Imager option (coming soon)
- Choice of Microsoft Windows Embedded Compact 7 or Android v4.4
- TI 802.11 a/b/g/n radio with CCX v4 compliance and featuring MIMO antenna technology
- 1 GB RAM / 8 GB Flash memory
- Bluetooth wireless technology v4.0 with BLE (low energy) and Wide Band Audio for improved speech recognition (Android models only)
- Corning® Gorilla® Glass 3 scan window
- WEC7 units include:
 - Wavelink® Avalanche™ and Terminal Emulation pre-installed and pre-licensed;
 Pal pre-installed and pre-licensed
- Upgradable to Android 4.4
- Attachable handle (and orderable pre-installed)
- EASEOFCARE Service Plans offer a wide range of service options to protect your investment, ensuring maximum productivity and ROI

INDUSTRY-APPLICATIONS

- Warehouse and Distribution Centers: Retail, Wholesale, Manufacturing, Automotive/ Industrial, Electronics, Food/ Beverage, Consumer Products, Pharmaceutical, Third Party Logistics (3PL)
 - Receiving
 - Cross Docking
 - Put Away
 - Staging
 - Voice Picking
 - Shipping
 - Cycle Count
 - Inventory
 - Shelf Replenishment
 - Price Management
 - Order Entry
 - Assisted Sales
 - Production Control

WIRELESS COMMUNICATIONS

LOCAL AREA NETWORK (WLAN) PERSONAL AREA NETWORK (WPAN)	TI Wi-Link 8, IEEE 802.11a/b/g/n; Frequency Range: Country dependent, typically 2.4 and 5 GHz; Cisco CCX v4 compliant Bluetooth wireless technology v4 with BLE (Android models); Bluetooth v2.1 + EDR (WEC7 models)
DECODING CAPABILITY	
1D / LINEAR CODES	Auto discriminates all standard 1D codes
2D CODES	including GS1 DataBar™linear codes. Aztec Code, Data Matrix, MaxiCode, PDF417, MicroPDF417, Micro QR Code, QR Code
POSTAL CODES	Australian Post, Japanese Post, KIX Code, Royal Mail, USPS Intelligent Mail, USPS PLANET, USPS, Postnet
STACKED CODES	GS1 Composite Codes UPC/EAN/JAN Composites, GS1 DataBar Composites and GS1-128 Composite
ELECTRICAL	
BATTERY	Removable battery pack with rechargeable Li-ion batteries; 3.7 V 5200 mAh (19.2 Watt hours)
ENVIRONMENTAL	
DROP RESISTANCE	Withstands drops from 1.8 m / 6.0 ft onto concrete follow IEC68-2-32 (Method 1) and 1500 random drops from 1.0 m / 3.3 ft follow EC68-2-32 (Method 2)
PARTICULATE AND WATER SEALING TEMPERATURE	IP65 Operating: -20 to 50 °C /-4 to 122 °F Storage: -30 to 70 °C / -22 to 158 °F
INTERFACES	
INTERFACES	Main connector with USB 2.0 High Speed Host (480 Mbps) and Client, RS-232 up to 115.2 Kbps; Ethernet or Modem: via single-slot dock (externa module)
PHYSICAL CHARACTERISTICS	
AUDIO DIMENSIONS	Integrated microphone, high-volume speaker Handheld: 22.5 x 8.8 x 5.5 cm / 8.9 x 3.5 x 2.2 in; 6.4 x 4.0 cm / 2.5 x 1.6 in at keyboard Pistol grip: 22.5 x 8.8 x 16.8 cm / 8.9 x 3.5 x 6.6 in
DISPLAY	Reflective TFT daylight readable color display, 240 x 320 pixels, 8.9 cm / 3.5 in diagonal,
KEYBOARD	65K colors, backlight, touchscreen Polycarbonate hard cap keyboards with backlight; 29-key numeric, 29-key functional numeric or 52-key alphanumeric with discrete
WEIGHT	navigation Hand held: 602.0 g / 21.2 oz Pistol grip: 668.0 g / 23.6 oz
SAFETY AND REGULATORY	
AGENCY APPROVALS	The product meets necessary safety and regulatory approvals for its intended use. The Users Manual for this product can be referred to for a complete list of certifications.
ENVIRONMENTAL COMPLIANCE LASER CLASSIFICATION	complies to EU RoHS VLD - Class 2 IEC/EN60825-1. Compliant with 21 CFR 1040.10 except for deviations pursuant to laser notice Number 50, dated June 24, 2007.
I ED CLASSIEICATION	Exampt Dick Group IEC/EN62/71

READING PERFOR	

2D IMAGER (STANDARD RANGE) Megapixel sensor for extended range; White LED Illumination Optical Resolution: 1D codes: 3 mils: 2D codes: 6.6 mils

Depth of Field (typical): 4.5 to 74 cm / 1.7 to 29.1 in (13 mil/EAN), depending on bar code density and type

2500 pixel sensor; Sharp green LED scan line Optical Resolution: 2.5 mils (linear codes) Depth of Field: 4.0 to 74 cm / 1.5 to 29.1 in (13 mil/EAN), depending on bar code density and type

EXTRA LONG RANGE IMAGER (2D XLR)

SCAN WINDOW

Coming soon

All scan engines feature Corning® Gorilla®

Glass 3 scan window

SOFTWARE

1D IMAGER

ΔΡΡΙ ΙΓΔΤΙΩΝΙS Pal Application Library pre-licensed (WEC7 only) CONFIGURATION & MAINTENANCE Wavelink Avalanche® pre-licensed (WEC7 only), 42 Gears SureLock pre-licensed for device

lockdown (Android only); SOTI MobiControl (optional), Datalogic xPlatform Utility (DXU) pre-licensed, Datalogic Desktop Utility (DDU) pre-licensed for

device lockdown (WEC7 only) DEVELOPMENT WEC7: Datalogic Windows SDK™ Android: Datalogic Android SDK, Xamarin SDK **BROWSER** SureFox locked web browser pre-licensed for

WEC7 and Android models TERMINAL EMULATION Wavelink® Terminal Emulation™ pre-licensed (for

WEC7 models only); StayLinked SmartTE (for Android); Wavelink Velocity (for Android)

SYSTEM

Wideband Speech (HD Audio) supported on **AUDIO** Android **EXPANSION SLOTS** Micro Secure Digital slot (SDHC) up to 32 GB,

user-accessible MICROPROCESSOR TI OMAP4 @ 1 GHz MEMORY RAM Memory: 1 GB

Flash Memory: 8 GB (partially used for firmware and reserved data)

REAL-TIME CLOCK Time and date stamping under software control Microsoft Windows Embedded Compact 7 OPERATING SYSTEM (WEC7) or Android v4.4*

*OS swap from WEC7 to Android 4.4 or from Android 4.4 to WEC7 is supported on all Falcon X4 configurations. The OS swap must be performed at a Datalogic Service Center.

WARRANTY

WARRANTY



1-Year Factory Warranty

Caution: Laser Radiation - do not stare into beam



LED CLASSIFICATION

Single Slot Dock w/Spare Battery Charging Slot



Multi-Ethernet Dock Charges 4 terminals and 4 Batteries



Exempt Risk Group IEC/EN62471



Battery Chargers

94A151137 Multi Battery Charger



94A151135 Multi Charge Only Dock Charges 4 terminals and 4

Cases/Holsters



■ 94ACC0104 Rubber Boot



94ACC0047 Standard Softcase with Quick Release Belt Clip

