

Rugged, reliable, ready for work

The RuggedJet 4" Series of label and receipt printers



Environmental

Data protection

2.1m*

Operating temperature

Battery -20°C to 55°C
AC adaptor -10°C to 40°C
Car adaptor -10°C to 50°C

Operating humidity

10% to 90% non-condensing

Charging temperature

0°C to 40°C

Storage temperature

-20°C to 60° C

Storage humidity

10% to 90% non-condensing

Supplies

RD-M01E5

(Receipt –101.6mm x 27.7m)

RD-M03E1

(72 labels –101.6mm x 152.4mm)

RD-R03E5

(Receipt –58mm x 12m)

Optional accessories

Battery

Rechargeable Li-ion smart battery
(PA-BT-006):7.2V continuously printing 10,000 labels

Shoulder strap

PA-SS-4000

Power options

PA-CR-002 single cradle/charger
PA-BC-003 single battery charger
PA-AD-600 AC adaptor
PA-CD-600CG cigar lighter plug
PA-CD-600WR permanently wired

brother
at your side

*Connected by USB with new battery and full charge. Printed by Brother specified data (7% coverage 102mm x 29mm) at 23°C.

**Font Licensee permissions are required. ^RJ-4250WB model only



info@tecnipesa.com
www.tecnipesa.com

Spain: 943 310 922
MADRID · CATALONIA · BASQUE COUNTRY · ANDALUSIA

Mexico: 442 543 5091
MEXICO CITY · QUERETARO